


SILO PROGRAMME

SERIES SL60

Material:	AlMg3
Silo model:	Silo roof 15° slope, cone with 60° opening angle
Standard accessories:	1 set of lifting eyes, 1 discharge flange up to a max. DN 500, grounding strap
Documentation:	1 set of silo statics, 1 assembly drawing, operating and maintenance manuals 1 paper copy and as CD-ROM

Silo Type SL60 with long skirt

Standard silos with silo skirt and standing ring for full support on foundation.



If you cannot use silos of the standard series due to structural reasons or bulk material properties, we can offer you suitable solutions for these cases.

Nominal capacity	Filling height	Total height	Article no.	Article no.
d = 2400	a	b		
19 m ³	3550	6250	SL. 019.24.06.6	SL. 019.24.1.6
25 m ³	4800	7500	SL. 025.24.06.6	SL. 025.24.1.6
36 m ³	7300	10000	SL. 036.24.06.6	SL. 036.24.1.6
47 m ³	9800	12500	SL. 047.24.06.6	SL. 047.24.1.6
58 m ³	12300	15000	SL. 058.24.06.6	SL. 058.24.1.6
70 m ³	14800	17500	SL. 070.24.06.6	SL. 070.24.1.6
d = 3000				
35 m ³	4200	7500	SL. 035.30.06.6	SL. 035.30.1.6
45 m ³	5450	8750	SL. 045.30.06.6	SL. 045.30.1.6
55 m ³	6700	10000	SL. 055.30.06.6	SL. 055.30.1.6
70 m ³	9200	12500	SL. 070.30.06.6	SL. 070.30.1.6
80 m ³	10450	13750	SL. 080.30.06.6	SL. 080.30.1.6
90 m ³	11700	15000	SL. 090.30.06.6	SL. 090.30.1.6
105 m ³	14200	17500	SL. 105.30.06.6	SL. 105.30.1.6
125 m ³	16700	20000	SL. 125.30.06.6	SL. 125.30.1.6
150 m ³	20450	23750	SL. 150.30.06.6	SL. 150.30.1.6
d = 3500				
45 m ³	3750	7500	SL. 045.35.06.6	SL. 045.35.1.6
58 m ³	5000	8750	SL. 058.35.06.6	SL. 058.35.1.6
70 m ³	6250	10000	SL. 070.35.06.6	SL. 070.35.1.6
94 m ³	8750	12500	SL. 094.35.06.6	SL. 094.35.1.6
118 m ³	11250	15000	SL. 118.35.06.6	SL. 118.35.1.6
142 m ³	13750	17500	SL. 142.35.06.6	SL. 142.35.1.6
154 m ³	15000	18750	SL. 154.35.06.6	SL. 154.35.1.6
166 m ³	16250	20000	SL. 166.35.06.6	SL. 166.35.1.6
190 m ³	18750	22500	SL. 190.35.06.6	SL. 190.35.1.6
202 m ³	20000	23750	SL. 202.35.06.6	SL. 202.35.1.6
214 m ³	21250	25000	SL. 214.35.06.6	SL. 214.35.1.6
238 m ³	23750	27500	SL. 238.35.06.6	SL. 238.35.1.6
d = 4200				
93 m ³	5500	10000	SL. 093.42.06.6	SL. 093.42.1.6
127 m ³	8800	12500	SL. 127.42.06.6	SL. 127.42.1.6
162 m ³	10500	15000	SL. 162.42.06.6	SL. 162.42.1.6
196 m ³	13000	17500	SL. 196.42.06.6	SL. 196.42.1.6
231 m ³	15500	20000	SL. 231.42.06.6	SL. 231.42.1.6
266 m ³	18000	22500	SL. 266.42.06.6	SL. 266.42.1.6
300 m ³	20500	25000	SL. 300.42.06.6	SL. 300.42.1.6
334 m ³	22900	27500	SL. 334.42.06.6	SL. 334.42.1.6

Article no.: SL = Standard storage silo, m³ = silo gross volume, 06 = bulk density 6 kN/m³, 1 = bulk density 10 kN/m³, 6 = 60° opening angle, a = filling height, b = total height, c = discharge height, d = diameter. **All measurements in mm.**